

Receiving Report

Date: 10/9/16 Batch No: M115686
 Supplier: MEFAUX SOLUTIONS Dart P/O: 1295

Packing Slip: Yes <input type="checkbox"/> No <input type="checkbox"/> Invoice: Yes <input type="checkbox"/> No <input type="checkbox"/> Receipt: Cash <input type="checkbox"/> Cr <input type="checkbox"/>	Release Note Attached: Yes <input type="checkbox"/> No <input type="checkbox"/> Waybill Attached: Yes <input type="checkbox"/> No <input type="checkbox"/> Shipment Complete: <u>8</u> Yes <input type="checkbox"/> No <input type="checkbox"/> QC6 Inspection <u>10/9/16</u> Work Order <u>10/9/16</u>	N/A <input type="checkbox"/> N/A <input type="checkbox"/> N/A <input type="checkbox"/> N/A <input type="checkbox"/> N/A <input type="checkbox"/>
---	---	--

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 CL

Production/Admin: 10/9/16
 Date
 Received/Costing
 Initial

Location

Page 1 of 1

All amounts are calculated in domestic currency.

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name		VC-MET002		Metaux Solutions							
PO12495	1		M174B0.250X4.000	f	9/9/2010	9/16/2010	12.8300	\$38.25	0.0000	0	\$490.75
CAD	No		17-4 SS Bar .250 X 4.00	f	12.0000	DESJ02		\$490.75	0.0000	0	
			115686								
	2		M4130NB0.500X03.000	f	9/9/2010	9/16/2010	23.6250	\$21.03	0.0000	0	\$496.83
	No		413O Bar 0.500 x 3.00	f	24.0000	DESJ02		\$496.83	0.0000	0	
			115686								
									Total Received Quantity:		36.4550
									Total Qty to Inspect (PO U/M):		0.0000
									Total Reject Quantity:		0.0000
									Total Receipt Value:		\$987.58
									Total Balance Due Quantity:		0.0000

Shipping Order

14/09/2010

METAUX SOLUTIONS INC.
2108, 32E AVENUE
LACHINE, QUEBEC
H8T 3H7

Tel.: 514 633-8010

Order : 69065
Reference : 12495
Ship : NOTRE CAMION / OUR TRUCK

Customer: 6323336

Ship To

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
SF144174	17-4 PH FLAT 1/4" X 4.00" 1 X 12.83' HT# 217606	12.83	12.83	Ø
MP124130N	4130 NORM PLATE .500 THICK AMS 6345 2 PCES DE 3" X 141.75" X HT #D52027-4130	6	6	Ø

23.625

TST Collect # 222212

Shipping : _____
Package No : _____

Ref. : _____

Merchandise Received: _____

SHIP TO:

ISG PLATE INC.

TEST CERTIFICATE

PAGE NO: 01 OF 02
FILE NO: 2765-01-01
MILL ORDER NO: 79339-001
MELT NO: D5202
DATE: 09/19/07

SOLD TO:

DOT Aerospace

SEND TO:

01-C

PLATE DIMENSIONS / DESCRIPTION

TOTAL QTY	GAUGE	WIDTH	LENGTH	DESCRIPTION	PIECE WEIGHT
12	.5"	72"	144"	RECTANGLE	1470#

CUSTOMER INFORMATION

CUSTOMER PO: 031507MC2

CONTRACT NO. S.

SPECIFICATION(S)

THIS MATERIAL HAS BEEN MANUFACTURED AND TESTED IN ACCORDANCE WITH PURCHASE ORDER REQUIREMENTS AND SPECIFICATION(S).

AMS 6345A YR 02 AIRCRAFT

UNS
AIRCRAFT QUALITY AMS 2301 REV. J ASTM A829 GR
4130S MIL S-18729C CONDITION N & AISI 4130

MATERIAL PRODUCED UNDER A CERTIFIED QUALITY MGMT SYSTEM COMPLYING WITH
ISO 9001 ABS-QE CERT. NO. 30130

CHEMICAL COMPOSITION

MELT:D5202 PROD ANALYSIS	C .31 .31	MN .52 .52	P .016 .016	S .002 .002	CU .18 .18	SI .24 .24	NI .08 .08	CR .95 .94	MO .20 .20
MELT:D5202 PROD ANALYSIS	V .057 .055	AL .017 .018	CB .001 .001						

MANUFACTURE

FINELINE - VACUUM DEGASSED - MCQUAID-EHN GRAIN SIZE PER E112 - 7-8

HEAT TREAT CONDITION

MATL OR TEST	HEAT TREAT DESCRIPTION	NOM TEMP	HOLD MINS	COOL MTHD
PL/TEST	NORMALIZE	1660F	28	AIR COOL

MECHANICAL PROPERTIES

BEND TEST - BOT./TRANS. - PASS

BEND TEST - TOP/LONG. - PASS

WE HEREBY CERTIFY THE ABOVE
INFORMATION IS CORRECT:

QUALITY ASSURANCE LABORATORY
COATESVILLE, PA 19320

Elinore Zaplitny
SUPERVISOR - TEST REPORTING
ELINORE ZAPLITNY

ISG PLATE INC.

TEST CERTIFICATE

PAGE NO: 02 OF 02
FILE NO: 2765-01-01
MILL ORDER NO: 79339-001
MELT NO: D5202
DATE: 09/19/07

TENSILE PROPERTIES

LOC	DIR	YIELD STRENGTH PSI X 100	TENSILE STRENGTH PSI X 100	ELONGATION GAGE LGTH	%
BOT.	TRANS.	774	1178	2.00"	29.0
BOT.	TRANS.	779	1172	2.00"	29.0
TOP	TRANS.	792	1197	2.00"	25.0
TOP	TRANS.	825	1196	2.00"	29.0

DECARB TESTING

LOC	DEPTH	SURFACE	SUBSURFACE
BOT.	.005	0	0
BOT.	.004	0	0
TOP	.005	0	0
TOP	.004	0	0

OTHER METALLURGICAL AND MICROSTRUCTUAL TESTS

THERMAL RESPONSE TOP - 42 - GAUGE TESTED - 1.25000

THERMAL RESPONSE TOP - 44 - GAUGE TESTED - .50000

MAGNETIC PARTICLE - FREQUENCY .00001 - SEVERITY .00001

GENERAL INFORMATION

ALL STEEL HAS BEEN MELTED AND MANUFACTURED IN THE U.S.A.
MATERIAL HAS BEEN VACUUM DEGASSED AND CALCIUM TREATED
FOR SULFIDE SHAPE CONTROL.
MAG.PART.FREQ. AND SEVERITY RATING PER AMS-2301H.

B/L #04611 JONES MOTOR CO.

WE HEREBY CERTIFY THE ABOVE
INFORMATION IS CORRECT:

QUALITY ASSURANCE LABORATORY
COATESVILLE, PA 19320

Elinore Zaplitny
SUPERVISOR - TEST REPORTING
ELINORE ZAPLITNY

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 01 of 02

Certification Date
14-SEP-2010

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Invoice Number
T282112

28972-JF
PART NUMBER/NUMÉRO DE PIÈCE
511673

SOLD TO: METAUX SOLUTIONS INC.
VENDU À: 9060-0388 QUEBEC INC.
1320 VOLTA
BOUCHERVILLE QC J4B 6G6

SHIP TO:
EXPÉDIÉ À:

METAUX SOLUTIONS (MONTREAL)
2108 32 IEME AVENUE
LACHINE QC H8T 3H7

Description: 17-4 HRAP BAR SOL ANN ASTM A564
1/4 X 4 FLAT X 12' R/L
HEAT: 217606

Line Total: 45 LB

ITEM: 511673

Specifications:
AMS 5643 Q
AMS 2303 C

ASTM A564 T630 M04
EN 10204 3.1

S 10/08/16
ASME SA564 T630 M07

CHEMICAL ANALYSIS

C	SI	MN	P	S	CR	NI	MO
0.025	0.41	0.62	0.02	0.001	15.19	4.50	0.06
TI	N	CU	NB				
0.001	0.024	3.02	0.21				

RCPT: R197604

COUNTRY OF ORIGIN : GERMANY

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR	ULT TEN	%ELONG	%RED	HARDNESS
	KSI	KSI	IN 02 IN	IN AREA	BHN
COND A	1188.0	1261.0	17.8	62.9	338
DEV: H900 L	1361.0	1450.0	13.9	51.0	429

GRAIN SIZE :5 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE

CERTIFICATE OF TEST CERTIFICAT D'ESSAIS

Page 02 of 02

Certification Date
14-SEP-2010

CUSTOMER ORDER NUMBER
NUMÉRO DE COMMANDE DU CLIENT

Invoice Number
T282112

28972-JF
PART NUMBER/NUMÉRO DE PIÈCE
511673

SOLD TO: METAUX SOLUTIONS INC.
VENDU À: 9060-0388 QUEBEC INC.
1320 VOLTA
BOUCHERVILLE QC J4B 6G6

SHIP TO:
EXPÉDIÉ À:

METAUX SOLUTIONS (MONTREAL)
2108 32 IEME AVENUE
LACHINE QC H8T 3H7

Description: 17-4 HRAP BAR SOL ANN ASTM A564
1/4 X 4 FLAT X 12' R/L
HEAT: 217606

Line Total: 45 LB

ITEM: 511673

MATERIAL IS FREE FROM MERCURY CONTAMINATION
THERMAL TREATMENT: OK
SOLUTION ANNEALED
MACRO: OK
MICRO1: OK

COMMENTS

MELTED AND MFG IN GERMANY

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

JOSEE DUBE



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12495

Purchase Order Date 9/02/10

PO Print Date 9/02/10

Page Number 1 of 1

Order From :

VC-MET002

METAUX SOLUTIONS
1320 C, VOLTA
BOUCHERVILLE, QC J4B 6G6
CA

FAXED
C/L 9/2/10

Contact Name

Vendor Phone

800 558 8858

Vendor Fax

514 633 8044

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M174B0.250X4.000	17-4 SS Bar .250 X 4.00	9/09/10 Yes	12.00 f		\$38.2500	\$459.00
		Special Inst:	MATERIAL: 17-4 PH SS BAR PER AMS 5604/5643 GRAIN MUST BE ALONG LENGTH OF BAR MINIMUM YIELD TENSILE STRENGTH = 100 KSI MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI				
2	M4130NB0.500X03.000	4130 Bar 0.500 x 3.00	9/09/10 Yes	24.00 f		\$21.0300	\$504.72

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

PO Total:

\$963.72

Signature

U CL

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 9/02/10